

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4701	"current mirror" with resistor\$1	US-PGPUB; USPAT	OR	OFF	2005/03/25 08:51
L2	1180	1 and ((second or 2nd or "2.sup.nd") adj resistor)	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:33
L3	1862	1 and (series near3 resistor\$1)	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:33
L4	569	2 and 3	US-PGPUB; USPAT	OR	OFF	2005/03/25 08:52
L5	410	4 and "current source"	US-PGPUB; USPAT	OR	OFF	2005/03/25 08:52
L6	156	5 and "327"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/25 08:52
L7	110	5 and "323"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/25 08:52
L8	45	6 and 7	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:05
L9	111	6 not 8	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:21
L10	65	7 not 8	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:26
L11	146	((startup or start-up) adj current\$1) with resistor\$1	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:34
L12	3505	327/143,198,513,538,540.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:32
L13	1648	323/312,315,901.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:32
L14	831	(12 or 13) and ((second or 2nd or "2.sup.nd") adj resistor)	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:33
L15	1290	(12 or 13) and (series near3 resistor\$1)	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:33
L16	830	(14 or 15) and mirror\$3	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:33
L17	594	16 and "current source"	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:33
L18	20	17 and ((startup or start-up) adj current\$1)	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:05
L19	531	17 and "current mirror" not 18	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:49
L20	43	17 not (18 or 19)	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:43
L21	273	19 and (emitter near5 resistor\$1)	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:56
L22	60	19 and (resistor near3 compensat\$3)	US-PGPUB; USPAT	OR	OFF	2005/03/25 11:03

L23	240	21 not 22	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:49
L25	128	19 and ((second or 2nd or "2.sup. nd") adj "current mirror")	US-PGPUB; USPAT	OR	OFF	2005/03/25 09:50
L26	59	23 and 25	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:01
L27	69	25 not 26	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:05
L28	181	23 not 26	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:05
L29	22	28 and (startup or start-up)	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:19
L30	159	28 not 29	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:18
L31	176	19 not (20 or 22 or 26 or 27 or 29 or 30)	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:19
L32	22	31 and (startup or start-up)	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:26
L33	154	31 not 32	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:26
L34	236	16 not 17	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:26
L35	47	34 and (startup or start-up)	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:26
L36	80	34 and (emitter near5 resistor\$1) not 35	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:46
L37	109	34 not (35 or 36)	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:50
L38	1599	(12 or 13) and resistor\$1 and mirror\$3	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:51
L39	769	38 not 16	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:51
L40	46	39 and (((add\$7 or extra or supplement\$3 or aux or auxiliary) near3 current\$1) with resistor\$1)	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:55
L41	464	39 and (current\$1 near5 resistor\$1) not 40	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:55
L42	368	41 and "current source"	US-PGPUB; USPAT	OR	OFF	2005/03/25 11:19
L43	163	41 and (emitter near5 resistor\$1)	US-PGPUB; USPAT	OR	OFF	2005/03/25 10:56
L44	138	42 and 43	US-PGPUB; USPAT	OR	OFF	2005/03/25 11:00
L45	25	43 not 44	US-PGPUB; USPAT	OR	OFF	2005/03/25 11:02

L46	230	42 not 43	US-PGPUB; USPAT	OR	OFF	2005/03/25 11:02
L47	0	46 and 14	US-PGPUB; USPAT	OR	OFF	2005/03/25 11:02
L48	0	46 and 15	US-PGPUB; USPAT	OR	OFF	2005/03/25 11:03
L49	13	46 and (resistor near3 compensat\$3)	US-PGPUB; USPAT	OR	OFF	2005/03/25 11:04
L50	102	46 and "constant current" not 49	US-PGPUB; USPAT	OR	OFF	2005/03/25 11:15
L51	115	46 not (49 or 50)	US-PGPUB; USPAT	OR	OFF	2005/03/25 11:13
L52	330	39 not (40 or 44 or 45 or 46)	US-PGPUB; USPAT	OR	OFF	2005/03/25 11:14
L53	114	52 and "constant current"	US-PGPUB; USPAT	OR	OFF	2005/03/25 11:15
L54	91	52 and "current source" not 53	US-PGPUB; USPAT	OR	OFF	2005/03/25 11:22
L55	125	52 not (53 or 54)	US-PGPUB; USPAT	OR	OFF	2005/03/25 11:22